



**CENTURA**

**Basalt**

**Roca**



# Basalt

The beautiful interpretation of volcanic rock presents an interesting proposal in the matte finish of a sober, neutral, and minimalist stone.



Basalt 12"x24"

Porcelain Tile

◇ ≡ 12"x24"





Basalt Gray 12"x24" & Basalt Graphite 12"x24"



Basalt White 12"x24" & Basalt Gray 12"x24"

Basalt White 12"x24", Basalt Gray 12"x24" & Basalt Graphite 12"x24"



# Basalt

Porcelain Tile

8.5 mm |  | 12"x24"  
300x600 cm




## White



12"x24"  
UBASALT16BU


## Other Faces



## Gray



12"x24"  
UBASALT16BI






# Basalt

Porcelain Tile


**12"x24"**  
 300x600 cm



## Graphite



**12"x24"**  
 UBASALT16BW

## Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 275
Chemical Resistance	C650	Class A (Resist) <sup>1</sup>
Stain Resistance	C1378	Class A
Frost Resistance	C1026	Resistant
Thermal Shock Resistance	C484	Resistant
Crazing Resistance	C424	Resistant
Group	See FAQ's	4
PEI- Glazed Tiles	C1027	PEI (IV)
Dynamic Coefficient of Friction (DCOF)	A326.3	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

## Other Faces



## Packaging Info

Size	SF per carton	PC per carton	Bx per pallet
12"x24"	17.44	9	32